

230V Drum Heater (0-90°C) - (Optional: Can be produced with 0-40°C controller for plastic drums)

Item #	Description & Data			Picture
11-9858	Drum heater with digital controller (0-90°C). Can be used in combination with base heater. Shown with Lid (Item#: 15-1921). Drum: 200-220L 230V 1200W Size: 1990x800mm/ Ø580-630mm Weight: 6kg Packaging: 900x420x150mm			
11-9859	Drum heater with digital controller (0-90°C). Can be used in combination with base heater. Shown with Lid (Item#: 15-1921). Drum: 200-220L 230V 530W Size: 1990x450mm/ Ø567-630mm Weight: 4kg Packaging: 570x380x200mm			
15-1921	Insulation lid for 200L drum. Can be combined with drum heater or insulation jacket. Color: Black. Drum: 200-220L Passive Ø600mm H100mm Weight: 2kg Packaging: 570x380x200mm			
16-2105	Insulation lid with holes for 200L drum. Can be combined with drum heater or insulation jacket. Black. Drum: 200-220L Passive Ø600mm H120mm Weight: 2kg Packaging: 570x380x200mm			
22-3078	Drum heater with digital controller (0-90°C). Drum: 105-120L 230V 640W Size: 1650x700mm/ Ø470-525mm Weight: 6kg Packaging: 900x420x150mm			
11-9856B	Drum heater with digital controller (0-90°C). Drum: 105-120L 230V 400W Size: 1650x370mm/ Ø470-525mm Weight: 4kg Packaging: 570x380x200mm			
11-9857	Drum heater with digital controller (0-90°C). Drum: 50-60L 230V 300W Size: 1380x460mm/ Ø370-439mm Weight: 4kg Packaging: 570x380x200mm			
11-9856	Drum heater with digital controller (0-90°C). Drum: 25-30L 230V 225W Size: 1200x400mm/ Ø328-380mm Weight: 4kg Packaging: 570x380x200mm			

Passive Insulation Jackets for 200L drums

11-9862	Passive insulation jacket for 200L drum. Covers side and top. Can be combined with base heater. Color: Blue. Drum: 200-220L Passive Size: Ø620mm H860mm Weight: 3kg Packaging: 900x420x150mm			
17-2330	Passive insulation jacket for 200L drum. Wrap around type. Can be combined with insulation lid and/or base heater. Color: Blue Drum: 200-220L Passive Size: 1990x800mm Weight: 3kg Packaging: 900x420x150mm			
17-2221	PVC Waterproof Cover with window. Color: Blue. Drum: 200-220L Passive Size: Ø650mm H850mm Weight: 3kg Packaging: 900x420x150mm			


Item #	Description & Data				Picture
--------	--------------------	--	--	--	---------

230V High Temperature Drum Heater (0-200°C)

11-9870	Drum heater with digital controller (0-200°C). Can be used in combination with base heater. Shown with Lid (Item#: 15-1921A).				
	Drum: 200-220L	230V 1200W	Size: 1990x800mm/ Ø580-630mm	Weight: 7kg Packaging: 900x420x150mm	
11-9870BDT	Drum heater with digital controller (0-150°C). Can be used in combination with base heater. Shown with Lid (Item#: 15-1921A).				
	Drum: 200-220L	230V 1500W	Size: 1990x800mm/ Ø580-630mm	Weight: 7kg Packaging: 900x420x150mm	
11-9870B	Drum heater with analog Jumo controller (0-200°C). Can be used in combination with insulation lid and/or base heater.				
	Drum: 200-220L	230V 1500W	Size: 1990x800mm/ Ø580-630mm	Weight: 7kg Packaging: 900x420x150mm	
15-1921A	Insulation lid for 200L drum. Can be combined with drum heater or insulation jacket. Color: Silver.				
	Drum: 200-220L	Passive	Ø600mm H100mm	Weight: 2kg Packaging: 570x380x200mm	
22-3079	Drum heater with digital controller (0-200°C).				
	Drum: 105-120L	230V 1060W	Size: 1650x700mm/ Ø470-525mm	Weight: 6kg Packaging: 900x420x150mm	
11-9873	Drum heater with digital controller (0-200°C).				
	Drum: 105-120L	230V 700W	Size: 1650x370mm/ Ø470-525mm	Weight: 4kg Packaging: 570x380x200mm	
11-9871	Drum heater with digital controller (0-200°C).				
	Drum: 50-60L	230V 440W	Size: 1380x460mm/ Ø370-440mm	Weight: 4kg Packaging: 570x380x200mm	
11-9872	Drum heater with digital controller (0-200°C).				
	Drum: 25-30L	230V 380W	Size: 1200x400mm/ Ø328-380mm	Weight: 4kg Packaging: 570x380x200mm	

230V Drum Heater for Foodstuffs and Pharmaceutical Applications (0-120°C)

19-2746	Drum heater for foodstuffs and pharmaceutical applications. Single heating zone with single digital controller (0-120°C). Color: White				
	Drum: 200-220L	230V 1200W	Size: 1990x800mm/ Ø580-630mm	Weight: 9kg Packaging: 900x420x150mm	
12-1208DT	Drum heater for foodstuffs and pharmaceutical applications. Dual heating zones with separate digital controllers (0-120°C). Color: White				
	Drum: 200-220L	230V 2x600W	Size: 1990x800mm/ Ø580-630mm	Weight: 9kg Packaging: 900x420x150mm	
15-1921F	Insulated lid for 200L barrel for foodstuff and pharmaceutical applications. Can be combined with drum heater or insulation jacket. Color: White.				
	Drum: 200-220L	Passive	Ø600mm H100mm	Weight: 2kg Packaging: 570x380x200mm	

Item #	Description & Data			Price		Picture
230V Base drum heaters for 200L drums						
11-9868	Base heater for 200L drums. Digital controller (0-120°C). Can be combined with drum heater, insulation jacket and/or insulation lid.					
	Drum: 200L	230V 900W	Size: Ø550mm			
	Weight: 16kg	Packaging: 820x620x150mm				
12-1170	Base heater for 200L drums. Analog ctrl. (50-300°C). Can be combined with drum heater, insulation jacket and/or insulation lid.					
	Drum: 200L	230V 1800W	Size: Ø550mm			
	Weight: 19kg	Packaging: 820x810x170mm				

230V IBC Heater

11-9860	Heater for 1000L IBC container. Dual heat bands with individual digital controllers (0-90°C). Shown with lid (Item#: 11-9861D). Strongly recommended with Lid.					
	IBC 1000L	230V 2x1000W	Size: 4400x1000mm			
	Weight: 16kg	Packaging: 1080x420x280mm				
11-9861B	Heater for 1000L IBC container. Tripple heat bands with individual digital controllers (0-90°C). Shown with lid (Item#: 11-9861D). Strongly recommended with Lid.					
	IBC 1000L	230V 3x1000W	Size: 4400x1000mm			
	Weight: 16kg	Packaging: 1080x420x280mm				
11-9860A	Heater for 1000L IBC container. Digital controller (0-40°C). Shown with lid (Item#: 11-9861D). Strongly recommended with Lid. Primarily for Frost Protection!					
	IBC 1000L	230V 1300W	Size: 4400x1000mm			
	Weight: 15kg	Packaging: 1080x420x280mm				
16-2110	Heater for 640L IBC container. Dual heat bands with individual digital controllers (0-90°C). Shown with lid (Item#: 16-2111). Strongly recommended with Lid.					
	IBC 640L	230V 2x1000W	Size: 4100x870mm			
	Weight: 14kg	Packaging: 1080x420x280mm				
11-9861D	Insulated lid for 1000L container. Center top opening flap.					
	IBC 1000L	Passive	Size: 1200x1000x150mm			
	Weight: 3kg	Packaging: 570x380x200mm				
16-2111	Insulated lid for 640L container. Center top opening flap.					
	IBC 640L	Passive	Size: 1200x800x150mm			
	Weight: 3kg	Packaging: 570x380x200mm				

230V IBC Heater for Foodstuffs and Pharmaceutical Applications (0-90°C)

20-2798	Heater for 1000L IBC container for foodstuffs and pharmaceutical applications. Digital controller (0-40°C). Color: White. Strongly recommended with Lid. Primarily for Frost Protection!					
	IBC 1000L	230V 1300W	Size: 4400x1000mm			
	Weight: 18kg	Packaging: 1080x420x280mm				
20-2797	Heater for 1000L IBC container for foodstuffs and pharmaceutical applications. Dual digital controllers (0-90°C). Color: White. Strongly recommended with Lid.					
	IBC 1000L	230V 2x1000W	Size: 4400x1000mm			
	Weight: 18kg	Packaging: 1080x420x280mm				
20-2799	Insulated lid for 1000L IBC container for foodstuffs and pharmaceutical applications. Color: White					
	IBC 1000L	Passive	Size: 1200x1000x150mm			
	Weight: 3kg	Packaging: 570x380x200mm				

IBC Covers

Item #	Description & Data			Picture
13-1432	Insulation body cover.			
	IBC 1000L	Passive	Size: 4400x1000mm	
	Weight: 7kg	Packaging: 1080x420x280mm		
11-9861E	Full Waterproof PVC cover.			
	IBC 1000L	Passive	Size: 1300x1100x1000mm	
	Weight: 6kg	Packaging: 570x380x200mm		
23-4399	Full Waterproof PVC cover with transparent window.			
	IBC 1000L	Passive	Size: 1300x1100x1000mm	
	Weight: 6kg	Packaging: 570x380x200mm		
15-1738	Insulated Deluxe cover with integrated lid.			
	IBC 1000L	Passive	Size: 1200x1000x1140mm	
	Weight: 12kg	Packaging: 1080x420x280mm		
15-1740	Insulated Full cover in Blue Nylon without openings.			
	IBC 1000L	Passive	Size: 1200x1000x1140mm	
	Weight: 8kg	Packaging: 900x420x150mm		
15-1733	Insulated Full cover in Blue Nylon.			
	IBC 1000L	Passive	Size: 1200x1000x1140mm	
	Weight: 9kg	Packaging: 1080x420x280mm		
15-1736	IBC Alu Cover.			
	IBC 1000L	Passive	Size: 1200x1000x1150mm	
	Weight: 3kg	Packaging: 820x620x150mm		

IBC Base Heater BAG-IN-BOX

13-1436S	Base heater for 1000L IBC. PT100 sensor. IP64 rated (Controller: IP54). Including External DigiTherm Controller 0-150°C (Item#: 19-2674).			
	IBC 1000L	230V 2700W	Size: 1035x851mm	
	Weight: 7kg	Packaging: 900x420x150mm		

Immersion Heater

22-4158S	Internal Immersion IBC Heater 0-90°C. IP65 rated (Controller: IP54). Including External DigiTherm Controller (Item#: DIGI2EUX).			
	Ø100mm	230V 2000W	L: 950 Heated L: 300mm	
	Weight: 7kg	Packaging: 1250x430x330mm		

Controller

DIGI2EUX	External DigiTherm Controller for Internal Immersion IBC Heater. IP54 rated.			
		230V	Size: 130x80x61mm	
	Weight: 2kg	Packaging: 570x380x200mm		

Item #	Description & Data			Picture
--------	--------------------	--	--	---------

Gas Cylinder Heater

24-4666	Heating blanket for 10L gas cylinders. Silicone impregnated fabric. IP40 rated. Adjustable quick-release buckles. 0-40°C Digital controller.		
	Gas Cylinder	230V 161W	Size: L.540xH.650mm/ Ø130-171mm
	Weight: 4kg	Packaging: 580x380x250mm	
12-1200A	Heating blanket for 50L gas cylinders. Silicone impregnated fabric. IP40 rated. Adjustable quick-release buckles. 0-40°C (0-90°C optional) Digital controller.		
	Gas Cylinder	230V 435W	Size: L.860xH.1050mm/ Ø220-270mm
	Weight: 6kg	Packaging: 900x420x150mm	
24-4667	Heating blanket for 79L gas cylinders. Silicone impregnated fabric. IP40 rated. Adjustable quick-release buckles. 0-40°C Digital controller.		
	Gas Cylinder	230V 411W	Size: L.1128xH.750mm/ Ø300-359mm
	Weight: 5kg	Packaging: 900x420x150mm	



Red Silicone Gas Cylinder Heater Band (Ø 298-312mm)

23-4407	Heating band for gas cylinders. IP64 rated. Features a 40°C limiter and a 55°C safety fuse with manual reset.			
	Gas Cylinder	230V 500W	Size: 890x120mm	
	Fits for circumference: 935-980 mm, Ø298-312mm			
	Weight: 2kg	Packaging: 570x380x200mm		

Red Silicone Drum Heater Band (0-120°C) (IP54)

11-9867	Heating band for drum. Analog controller (0-120°C). Can be combined with base heater. Price is for 1 band.			
	Drum: 200L	230V 1000W	Size: 1670x115mm	
	Weight: 2kg	Fits for circumference: 1750-1940 mm, Ø557-618mm		
	Packaging: 570x380x200mm			
11-9667A	Heating band for drum. Analog controller (0-120°C). Can be combined with base heater. Price is for 1 band.			
	Drum: 200L	230V 1500W	Size: 1670x180mm	
	Weight: 3kg	Fits for circumference: 1750-1940 mm, Ø557-618mm		
	Packaging: 570x380x200mm			
11-9667B	Heating band for drum. Analog controller (0-120°C). Can be combined with base heater. Price is for 1 band.			
	Drum: 200L	230V 1000W	Size: 1670x180mm	
	Weight: 3kg	Fits for circumference: 1750-1940 mm, Ø557-618mm		
	Packaging: 570x380x200mm			
11-9866	Heating band for drum. Analog controller (0-120°C). Price is for 1 band.			
	Drum: 105L	230V 800W	Size: 1300x115mm	
	Weight: 2kg	Fits for circumference: 1380-1570 mm, Ø439-500mm		
	Packaging: 570x380x200mm			
11-9865	Heating band for drum. Analog controller (0-120°C). Price is for 1 band.			
	Drum: 50L	230V 500W	Size: 950x115mm	
	Weight: 2kg	Fits for circumference: 1030-1220 mm, Ø328-389mm		
	Packaging: 570x380x200mm			
11-9864	Heating band for drum. Analog controller (0-120°C). Price is for 1 band.			
	Drum: 25L	230V 300W	Size: 800x115mm	
	Weight: 2kg	Fits for circumference: 880-1070 mm, Ø280-341mm		
	Packaging: 570x380x200mm			

Item #	Description & Data				Picture
--------	--------------------	--	--	--	---------

Ground Thawing Blanket

17-2186	Insulated, class IP67 weather resistant ground heating blanket for frozen ground, soil, pipes, melting snow/ice, concrete curing, etc.		
	70°C fixed thermostat	230V 1000W	Size: 3000x1000mm
		230V Schuko power connector, 2m cable	
	Weight: 9kg	Packaging: 1050x390x390mm	
17-2186A	Insulated, class IP67 weather resistant ground heating blanket for frozen ground, soil, pipes, melting snow/ice, concrete curing, etc.		
	70°C fixed thermostat	230V 1000W	Size: 3000x1000mm
		230V CEE connector, 2m cable	
	Weight: 10kg	Packaging: 1050x390x390mm	



230V High Voltage Cable Heating Jacket for digital controller 0-90°C

20-2851	High Voltage Cable Heating Jacket for 230V. Fits cables from Ø60mm to Ø160mm. 1 meter long. PT100 sensor. 3m cable with Harting connector for ctrl.			
	Digital 0-90°C(32-194°F)	230V 750W	Size: 1000x625mm	
	Weight: 6kg	Packaging: 900x420x150mm		
18-2573	High Voltage Cable Heating Jacket for 230V. Fits cables from Ø60mm to Ø160mm. 2 meters long. PT100 sensor. 3m cable with Harting connector for ctrl.			
	Digital 0-90°C(32-194°F)	230V 1500W	Size: 2000x625mm	
	Weight: 7kg	Packaging: 900x420x150mm		
19-2674HVC	230V External Digitherm Digital Controller for HVC jackets. 0-90°C (32-194°F). Delivered with molded 230V Schuko power plug (see other plug options below).			
		230V (16A max)		
	Weight: 2kg	Packaging: 570x380x200mm		

Plug options

All our products can be delivered with the following types of power plug (will be delivered without plug unless otherwise ordered)				
230V DK (K-9099ADK)	230V Schuko (K-9099ADE)	230V CEE (K-9099AEU230)	230V UK (K-9099AGB)	230V US (K-9099US230)
				

IP54 Upgrade

IP54D	Upgrade from IP40 to IP54 for DigiTherm Digital Controller. Please note that for multizone heaters the price is for each DigiTherm Controller.	
--------------	--	---

HS Commodity Codes / Country of origin

Insulation covers and lids	85479000	DK
Fabric Heating Blankets/Jackets	84198998	DK
Red/Orange Silicone Heating Blankets	85168080	Europe
Base Heaters 11-9868	85168080	DK
Base Heaters 12-1170	85168080	Europe

ATEX HEATERS

Explosion Protection Marking: T6, T5, T4, T3 (depending on limiter temperature setting)

Marking Gas: EX II 2G Ex e mb IIC T3 Gb

Marking Dust: EX II 2D Ex e mb IIIC T120°C Db

Item #	Description & Data	Price		Picture
--------	--------------------	-------	--	---------

DIGITAL ATEX CONTROLLER

Temperature Controller. IP64 rated. Control range 0-450°C.				
23-4258	230VAC (±10%) 25A	Size: 260x160x135mm		
	Weight: 6kg	Packaging: 570x380x200mm		

IBC Heater ATEX

Heater for 1000L IBC container. Without controller. You must add a Controller (Item#: 23-4258). Shown with Insulation Lid(Item#: 23-4256). Recommend with Lid.				
23-4255	IBC 1000L	230V 2400W	Size: 4400x1000mm	
	Weight: 30kg	Packaging: 1200x800x600mm		

Insulation Lid For IBC Heaters

Insulated lid for 1000L container. Center top opening flap.				
23-4256	IBC 1000L	Passive	Size: 1200x1000x150mm	
	Weight: 5kg	Packaging: 1080x420x280mm		

EX Drum Heaters ATEX

Drum heater. Without controller. You must add a Controller (Item#: 23-4258). Can be used in combination with Insulation Lid. (Item#: 23-4263).			
23-4259	Drum: 200L	230V 1200W	Size: 2100x800mm
	Weight: 12kg	Packaging: 900x420x300mm	
Drum heater. Without controller. You must add a Controller (Item#: 23-4258).			
23-4260A	Drum: 120L	230V 800W	Size: 1700x680mm
	Weight: 10kg	Packaging: 900x420x300mm	
Drum heater. Without controller. You must add a Controller (Item#: 23-4258).			
23-4260	Drum: 100L	230V 800W	Size: 1600x600mm
	Weight: 10kg	Packaging: 900x420x300mm	
Drum heater. Without controller. You must add a Controller (Item#: 23-4258).			
23-4261	Drum: 60L	230V 400W	Size: 1350x460mm
	Weight: 5kg	Packaging: 900x420x300mm	
Drum heater. Without controller. You must add a Controller (Item#: 23-4258).			
23-4262	Drum: 30L	230V 350W	Size: 1200x400mm
	Weight: 4kg	Packaging: 900x420x300mm	



Insulation Lid For 200L EX Drum Heaters

Insulation lid for 200-220L drum. Can be combined with drum heater or insulation jacket. Color: Black.				
23-4263	Drum: 200L	Passive	Ø630mm H150mm	
	Weight: 2kg	Packaging: 900x420x150mm		

Item #	Description & Data				Picture
--------	--------------------	--	--	--	---------

Insulation Jacket For 200L EX Drum Heaters

Passive insulation jacket for 200-220L drum.					
23-4354	Drum: 200L	Passive	Size: 2100x800mm		
	Weight: 7kg	Packaging: 900x420x300mm			

EX Gas Cylinder Heaters ATEX

Heating blanket for gas cylinders. IP65 rated. Without controller. You must add a Controller (Item#: 23-4258).			
23-4264	Gas Cylinder: 79L	230V 850W	Size: L.1138xH.1000mm Ø318mm
	Weight: 10kg	Packaging: 1250x420x280mm	
Heating blanket for gas cylinders. IP65 rated. Without controller. You must add a Controller (Item#: 23-4258).			
23-4265	Gas Cylinder: 50L	230V 850W	Size: L.860xH.1400mm Ø230mm
	Weight: 9,5kg	Packaging: 1450x420x280mm	
Heating blanket for gas cylinders. IP65 rated. Without controller. You must add a Controller (Item#: 23-4258).			
23-4266	Gas Cylinder: 10L	230V 380W	Size: L.580xH.800mm Ø140mm
	Weight: 6kg	Packaging: 1250x420x280mm	



ATEX LB HEATERS

Explosion Protection Marking: T6 (85 °C) / T6, T5, T4, T3, T2, T1

Marking Gas: EX II 2G Ex 60079-30-1 IIC T6 GB

Marking Dust: EX II 2D Ex 60079-30-1 IIIC T85°C Db

IBC Heater ATEX LB

Heater for 1000L IBC container with self-limiting heating cable. This model operates without a controller. Temp. controller can not be purchased or connected to this model. IP 54. Primarily for Frost Protection! Shown with Insulation Lid (Item#: 24-4652). Recommend with Lid.					
24-4651	IBC 1000L	230V 1700W	Size: 4400x1000mm		
	Weight: 30kg	Packaging: 1200x800x600mm			

Insulation Lid For IBC Heater ATEX LB

Insulated lid for 1000L IBC container. Center top opening flap. Can be combined with ATEX LB IBC heater (Item#: 24-4651).					
24-4652	IBC 1000L	Passive	Size: 1200x1000x150mm		
	Weight: 5kg	Packaging: 1080x420x280mm			

Drum Heater ATEX LB

Drum heater for 200L drum with self-limiting heating cable. This model operates without a controller. Temp. controller can not be purchased or connected to this model. IP 54. Primarily for Frost Protection! Shown with Insulation Lid (Item#: 24-4654). Can be used in combination with Insulation Lid.					
24-4653	Drum: 200L	230V 660W	Size: 2160x800mm		
	Weight: 12kg	Packaging: 900x420x300mm			

Insulation Lid For 200L ATEX LB Drum Heater

Insulation lid for 200-220L drum. Can be combined with ATEX LB drum heater (Item#: 24-4653).					
24-4654	Drum: 200L	Passive	Ø600mm H150mm		
	Weight: 2kg	Packaging: 900x420x150mm			